




NEW SAMLEX MODEL	DISCONTINUED MODEL	NOTES
 <p>SEC-1215UL SEC-1230UL SEC-2415UL</p>	 <p>SEC-1215A SEC-1230A, SEC-2415A</p>	<p>No change to function or form factor. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Currently Available</p>
 <p>SEC-1250UL SEC-2425UL</p>	 <p>SEC-1245A SEC-1260A SEC-2425A</p>	<p>Voltmeter and Ammeter added. New form factor. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available November 25th</p>
 <p>SEC-1280UL SEC-2440UL</p>	 <p>SEC-1280A SEC-2440A</p>	<p>Voltmeter and Ammeter added. New form factor. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available December 10th</p>
 <p>900-RC</p>	<p>REMAINS THE SAME</p>	<p>Remote control for use with SEC UL Battery Chargers: 1250UL, 1280UL, 2425UL, 2440UL models.</p> <p>Currently Available</p>
 <p>PST-300-12 PST-300-24</p>	 <p>PST-30S-12A PST-30S-24A</p>	<p>Dual GFCI Protected Outlets added. Temperature controlled cooling, reduces energy consumption. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available January 10th</p>



NEW SAMLEX MODEL	DISCONTINUED MODEL	NOTES
 <p>PST-600-12 PST-600-24</p>	 <p>PST-605-12A PST-605-24A</p>	<p>Dual GFCI Protected Outlets added. Temperature controlled cooling, reduces energy consumption. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available January 10th</p>
 <p>PST-1000-12 PST-1000-24</p>	 <p>PST-1005-12A PST-1005-24A</p>	<p>Dual GFCI Protected Outlets added. Temperature controlled cooling, reduces energy consumption. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available January 10th</p>
 <p>PST-1500-12 PST-1500-24</p>	 <p>PST-1505-12A PST-1505-24A</p>	<p>Dual GFCI Protected Outlets added. Temperature controlled cooling, reduces energy consumption. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available February 15th</p>
 <p>PST-2000-12 PST-2000-24</p>	 <p>PST-2005-12A PST-2005-24A</p>	<p>Dual GFCI Protected Outlets added. Temperature controlled cooling, reduces energy consumption. Now meets UL safety certification Standard 458, FCC compliant.</p> <p>Available February 15th</p>
 <p>RC-15A</p>	 <p>RC-15</p>	<p>ALL NEW remote for PST-UL Series 600 and 1000 Watt models.</p> <p>Available January 15th</p>



NEW SAMLEX MODEL	DISCONTINUED MODEL	NOTES
 <p>RC-200</p>	<p>n/a</p>	<p>ALL NEW LCD remote for PST-UL Series 1500 and 2000 Watt Models.</p> <p>Available January 15th</p>
 <p>SSW-R1-12B</p>	 <p>SSW-R1-12A</p>	<p>Included with every all NEW 2013 SSW Series 1000, 1500 & 2000 Watt inverter (not compatible with 2012 inverter models).</p> <p>Available January 15th</p>
 <p>ACR-160</p>	<p>n/a</p>	<p>ALL NEW Automatic Charge Isolator.</p> <p>Available January 10th</p>
 <p>SAM-450-12E</p>	<p>n/a</p>	<p>ALL NEW 450 Watt Modified Sine Inverter, 12 VDC, 220 VAC.</p> <p>Currently Available</p>
 <p>PST-30S-12E*</p>	<p>n/a</p>	<p>NOW STOCKING PST Series 300 Watt inverter, 12 VDC input, 230 VAC output.</p> <p>Currently Available *24 VDC models available by special order</p>



NEW SAMLEX MODEL	DISCONTINUED MODEL	NOTES
 <p>PST-60S-12E*</p>	n/a	<p>NOW STOCKING PST Series 600 Watt inverter, 12 VDC input, 230 VAC output.</p> <p>Currently Available *24 VDC models available by special order</p>
 <p>PST-100S-12E*</p>	n/a	<p>NOW STOCKING PST Series 1000 Watt inverter, 12 VDC input, 230 VAC output.</p> <p>Currently Available *24 VDC models available by special order</p>
 <p>PST-150S-12E*</p>	n/a	<p>NOW STOCKING PST Series 1500 Watt inverter, 12 VDC input, 230 VAC output.</p> <p>Currently Available *24 VDC models available by special order</p>
 <p>PST-200S-12E*</p>	n/a	<p>NOW STOCKING PST Series 2000 Watt inverter, 12 VDC input, 230 VAC output.</p> <p>Currently Available *24 VDC models available by special order</p>
 <p>RSP-1203UL</p>	n/a	<p>ALL NEW RPS-1203UL Linear Power Supply. 13.8 VDC, 3 Amps UL Approved.</p> <p>Currently Available</p>



NEW SAMLEX MODEL	DISCONTINUED MODEL	NOTES
NO DIRECT SUBSTITUTION	 <p>RSP-1210UL</p>	Only linear power supply substitution is SEC-1203UL.
NO DIRECT SUBSTITUTION	 <p>RSP-1204CPBT</p>	Only linear power supply substitution is SEC-1203UL.
NO DIRECT SUBSTITUTION	 <p>RSP-1220</p>	Only linear power supply substitution is SEC-1203UL.
NO DIRECT SUBSTITUTION	 <p>PSE-24125A</p>	Substitute this modified sine wave inverter with other PSE or SAM Series models.
NO DIRECT SUBSTITUTION	 <p>SDC-20</p>	This C1D2 product is now discontinued. SDC-23 is an available substitute, but it does not have a C1D2 safety certification.

FOR MORE INFORMATION:

Call 1 800 561 5885 or email marketing@samlexamerica.com